

Message

From: Smith, Fredrika [smithf@monroe.wednet.edu]
Sent: 3/29/2017 3:15:31 PM
To: Moore, Kendall [moore.kendall@epa.gov]
CC: Mannix, John [mannixj@monroe.wednet.edu]; Kevin Plemel [kplemel@snohd.org]; Piplic, Devlin [piplicd@monroe.wednet.edu]; Jeff Ketchel [jketchel@snohd.org]; Amanda Zych [azych@snohd.org]; Mullin, Michelle [Mullin.Michelle@epa.gov]; Ramanauskas, Peter [ramanauskas.peter@epa.gov]; Peachey, Robert [peachey.robert@epa.gov]; Gary Goldbaum [ggoldbaum@snohd.org]; Peter Mayer [pmayer@snohd.org]; Sasnow, Zachary [sasnow.zachary@epa.gov]
Subject: Re: PCB testing for Sky Valley Education Center

That would be great, thank you!
I will work with the school principal to arrange for that conversation.
Deka

On Wed, Mar 29, 2017 at 7:11 AM, Moore, Kendall <moore.kendall@epa.gov> wrote:

All, I am planning to be on site during the next round of air sampling that I believe is scheduled for the week of April 10th. I'll work with Devlin on schedules and logistics. My objectives will be:

- oversee this round of air sampling
- inspect the equipment in the electrical rooms
- collect samples as needed in the electrical rooms

Prior to my visit I'd like to have a conference call with **Ex. 6 Personal Privacy (PP)** about our sampling protocols. The purpose of the call is simply to hear their concerns to ensure we aren't missing something. Can the school district set this call up for this week or early next week? I'll adjust my schedule to accommodate the most convenient time. **Ex. 6 Personal Privacy (PP)** Others are welcome to join if available. Thanks

From: Mannix, John <mannixj@monroe.wednet.edu>
Sent: Tuesday, March 21, 2017 6:37 PM
To: Kevin Plemel
Cc: Moore, Kendall; Piplic, Devlin; Jeff Ketchel; Amanda Zych; Mullin, Michelle; Ramanauskas, Peter; Peachey, Robert; Deka Smith; Gary Goldbaum; Peter Mayer
Subject: Re: PCB testing for Sky Valley Education Center
Thank you Kevin. We will provide this to SVEC staff and families via our established communications mechanisms.

Regards,

John Mannix
Assistant Superintendent, Operations

☎ [360.804.2579](tel:360.804.2579) | ☎ [360.804.2570](tel:360.804.2570)



On Tue, Mar 21, 2017 at 3:32 PM, Kevin Plemel <kplemel@snohd.org> wrote:

All,

Thank you for your time on the call today.

Attached, please find a letter authorizing use of the currently closed student spaces as well as other items from today's discussion.

Should you have any questions, please contact me at [425.339.8769](tel:425.339.8769).

Regards,

Kevin

Kevin Plemel, MPA, RS | Assistant Director | Environmental Health Division

3020 Rucker Avenue, Ste 104 | Everett, WA 98201 | kplemel@snohd.org

Direct [425-339-8769](tel:425-339-8769) | Environmental Health Main [425-339-5250](tel:425-339-5250)



SNOHOMISH
HEALTH DISTRICT
WWW.SNOHD.ORG



Find us on
Facebook

Public Health: Always working for a safer & healthier Snohomish County


NOTICE: All emails and attachments sent to and from the Snohomish Health District are public records and may be subject to disclosure pursuant to the Public Records Act (RCW 42.56).

Any dissemination or use of this information by a person other than the intended recipient is unauthorized and may be illegal. If you have received this e-mail in error, please immediately notify us by return e-mail. All email to and from this domain is archived as a public record in compliance with federal and state requirements. As such they may be both discoverable in a legal action and available through a public records request.

--

Fredrika Smith, EdD
Superintendent

Office 360.804.8501



MONROE
SCHOOL DISTRICT

Any dissemination or use of this information by a person other than the intended recipient is unauthorized and may be illegal. If you have received this e-mail in error, please immediately notify us by return e-mail. All email to and from this domain is archived as a public record in compliance with federal and state requirements. As such they may be both discoverable in a legal action and available through a public records request.